




CS 412 Intro. to Data Mining

Chapter 10. Cluster Analysis: Basic Concepts and Methods

Qi Li, Computer Science, Univ. Illinois at Urbana-Champaign, 2018



Chapter 10. Cluster Analysis: Basic Concepts and Methods

- ❑ Cluster Analysis: An Introduction 
- ❑ Partitioning Methods
- ❑ Hierarchical Methods
- ❑ Gaussian Mixture Models and E-M algorithm
- ❑ Density- and Grid-Based Methods
- ❑ Spectral Clustering
- ❑ Evaluation of Clustering
- ❑ Summary

Cluster Analysis: An Introduction

- ❑ What Is Cluster Analysis?
- ❑ Applications of Cluster Analysis
- ❑ Cluster Analysis: Requirements and Challenges
- ❑ Cluster Analysis: A Multi-Dimensional Categorization
- ❑ An Overview of Typical Clustering Methodologies
- ❑ An Overview of Clustering Different Types of Data
- ❑ An Overview of User Insights and Clustering

What Is Cluster Analysis?

- ❑ **What is a cluster?**
 - ❑ A cluster is a collection of data objects which are
 - ❑ Similar (or related) to one another within the same group (i.e., cluster)
 - ❑ Dissimilar (or unrelated) to the objects in other groups (i.e., clusters)
- ❑ **Cluster analysis (or *clustering*, *data segmentation*, ...)**
 - ❑ Given a set of data points, partition them into a set of groups (i.e., clusters) which are as similar as possible
- ❑ Cluster analysis is **unsupervised learning** (i.e., no predefined classes)
 - ❑ This contrasts with *classification* (i.e., *supervised learning*)
- ❑ Typical ways to use/apply cluster analysis
 - ❑ As a stand-alone tool to get insight into data distribution, or
 - ❑ As a preprocessing (or intermediate) step for other algorithms

What Is Good Clustering?

- ❑ A good clustering method will produce high quality clusters which should have
 - ❑ **High intra-class similarity:** Cohesive within clusters
 - ❑ **Low inter-class similarity:** Distinctive between clusters
- ❑ **Quality function**
 - ❑ There is usually a separate “quality” function that measures the “goodness” of a cluster
 - ❑ It is hard to define “similar enough” or “good enough”
 - ❑ The answer is typically highly subjective
- ❑ There exist many similarity measures and/or functions for different applications
- ❑ Similarity measure is critical for cluster analysis

Cluster Analysis: Applications

- ❑ A key intermediate step for other data mining tasks
 - ❑ Generating a compact summary of data for classification, pattern discovery, hypothesis generation and testing, etc.
 - ❑ Outlier detection: Outliers—those “far away” from any cluster
- ❑ Data summarization, compression, and reduction
 - ❑ Ex. Image processing: Vector quantization
- ❑ Collaborative filtering, recommendation systems, or customer segmentation
 - ❑ Find like-minded users or similar products
- ❑ Dynamic trend detection
 - ❑ Clustering stream data and detecting trends and patterns
- ❑ Multimedia data analysis, biological data analysis and social network analysis
 - ❑ Ex. Clustering images or video/audio clips, gene/protein sequences, etc.

Considerations for Cluster Analysis

☐ Partitioning criteria

- ☐ Single level vs. hierarchical partitioning (often, multi-level hierarchical partitioning is desirable, e.g., grouping topical terms)

☐ Separation of clusters

- ☐ Exclusive (e.g., one customer belongs to only one region) vs. non-exclusive (e.g., one document may belong to more than one class)

☐ Similarity measure

- ☐ Distance-based (e.g., Euclidean, road network, vector) vs. connectivity-based (e.g., density or contiguity)

☐ Clustering space

- ☐ Full space (often when low dimensional) vs. subspaces (often in high-dimensional clustering)

Requirements and Challenges

❑ Quality

- ❑ Ability to deal with different types of attributes: Numerical, categorical, text, multimedia, networks, and mixture of multiple types
- ❑ Discovery of clusters with arbitrary shape
- ❑ Ability to deal with noisy data

❑ Scalability

- ❑ Clustering all the data instead of only on samples
- ❑ High dimensionality
- ❑ Incremental or stream clustering and insensitivity to input order


❑ Constraint-based clustering

- ❑ User-given preferences or constraints; domain knowledge; user queries

❑ Interpretability and usability

- ❑ The final generated clusters should be semantically meaningful and useful

Chapter 10. Cluster Analysis: Basic Concepts and Methods

- ❑ Cluster Analysis: An Introduction
- ❑ Partitioning Methods 
- ❑ Hierarchical Methods
- ❑ Gaussian Mixture Models and E-M algorithm
- ❑ Density- and Grid-Based Methods
- ❑ Spectral Clustering
- ❑ Evaluation of Clustering
- ❑ Summary

Partitioning-Based Clustering Methods

- ❑ Basic Concepts of Partitioning Algorithms
- ❑ The K-Means Clustering Method
- ❑ Initialization of K-Means Clustering
- ❑ The K-Medoids Clustering Method
- ❑ The K-Medians and K-Modes Clustering Methods
- ❑ The Kernel K-Means Clustering Method

Partitioning Algorithms: Basic Concepts

- ❑ Partitioning method: Discovering the groupings in the data by optimizing a specific objective function and iteratively improving the quality of partitions
- ❑ *K*-partitioning method: Partitioning a dataset ***D*** of ***n*** objects into a set of ***K*** clusters so that an objective function is optimized (e.g., the sum of squared distances is minimized, where c_k is the centroid or medoid of cluster C_k)

- ❑ A typical objective function: **Sum of Squared Errors (SSE)**


$$SSE(C) = \sum_{k=1}^K \sum_{x_i \in C_k} \|x_i - c_k\|^2$$

- ❑ Problem definition: Given *K*, find a partition of *K clusters* that optimizes the chosen partitioning criterion
 - ❑ Global optimal: Needs to exhaustively enumerate all partitions
 - ❑ Heuristic methods (i.e., greedy algorithms): *K-Means*, *K-Medians*, *K-Medoids*, etc.

The *K-Means* Clustering Method


- ❑ *K-Means* (MacQueen'67, Lloyd'57/'82)
 - ❑ Each cluster is represented by the center of the cluster
- ❑ Given K , the number of clusters, the *K-Means* clustering algorithm is outlined as follows
 - ❑ Select K points as initial centroids
 - ❑ **Repeat**
 - ❑ Form K clusters by assigning each point to its closest centroid
 - ❑ Re-compute the centroids (i.e., *mean point*) of each cluster
 - ❑ **Until** convergence criterion is satisfied
- ❑ Different kinds of measures can be used
 - ❑ Manhattan distance (L_1 norm), Euclidean distance (L_2 norm), Cosine similarity

Example: *K-Means* Clustering





The original data points & randomly select $K = 2$ centroids


Assign
points to
clusters



Recompute
cluster
centers



Redo point assignment



Execution of the *K-Means* Clustering Algorithm

Select K points as initial centroids

Repeat

- Form K clusters by assigning each point to its closest centroid
- Re-compute the centroids (i.e., *mean point*) of each cluster

Until convergence criterion is satisfied

Discussion on the *K-Means* Method

- ❑ **Efficiency:** $O(tKn)$ where n : # of objects, K : # of clusters, and t : # of iterations
 - ❑ Normally, $K, t \ll n$; thus, an efficient method
- ❑ K-means clustering often ***terminates at a local optimal***
 - ❑ Initialization can be important to find high-quality clusters
- ❑ **Need to specify K** , the *number* of clusters, in advance
 - ❑ There are ways to automatically determine the “*best*” K
 - ❑ In practice, one often runs a range of values and selected the “*best*” K value
- ❑ **Sensitive to noisy data and *outliers***
 - ❑ Variations: Using K-medians, K-medoids, etc.
- ❑ K-means is applicable only to objects in a continuous n -dimensional space
 - ❑ Using the K-modes for ***categorical data***
- ❑ Not suitable to discover clusters with ***non-convex shapes***
 - ❑ Using density-based clustering, kernel K -means, etc.

Variations of *K-Means*

- There are many variants of the *K-Means* method, varying in different aspects

- Choosing better initial centroid estimates

- *K-means++*, *Intelligent K-Means*, *Genetic K-Means*

To be discussed in this lecture

- Choosing different representative prototypes for the clusters

- *K-Medoids*, *K-Medians*, *K-Modes*


To be discussed in this lecture

- Applying feature transformation techniques

- *Weighted K-Means*, *Kernel K-Means*

To be discussed in this lecture


Poor Initialization in K-Means May Lead to Poor Clustering



- ❑ Rerun of the *K-Means* using another random K seeds
- ❑ This run of *K-Means* generates a poor quality clustering

Initialization of K-Means: Problem and Solution


- ❑ Different initializations may generate rather different clustering results (some could be far from optimal)
- ❑ Original proposal (MacQueen'67): Select K seeds randomly
 - ❑ Need to run the algorithm multiple times using different seeds
- ❑ There are many methods proposed for better initialization of k seeds
 - ❑ ***K-Means++*** (Arthur & Vassilvitskii'07):
 - ❑ The first centroid is selected at random
 - ❑ The next centroid selected is the one that is farthest from the currently selected (selection is based on a weighted probability score)
 - ❑ The selection continues until K centroids are obtained



Handling Outliers: From *K-Means* to *K-Medoids*


- ❑ The *K-Means* algorithm is sensitive to outliers!—since an object with an extremely large value may substantially distort the distribution of the data
- ❑ *K-Medoids*: Instead of taking the **mean** value of the object in a cluster as a reference point, **medoids** can be used, which is the **most centrally located** object in a cluster
- ❑ The *K-Medoids* clustering algorithm:
 - ❑ Select K points as the initial representative objects (i.e., as initial K medoids)
 - ❑ **Repeat**
 - ❑ Assigning each point to the cluster with the closest medoid
 - ❑ Randomly select a non-representative object o_i
 - ❑ Compute the total cost S of swapping the medoid m with o_i
 - ❑ If $S < 0$, then swap m with o_i to form the new set of medoids
 - ❑ **Until** convergence criterion is satisfied

PAM: A Typical *K-Medoids* Algorithm




$K = 2$


Arbitrary
choose K
object as
initial
medoids




Assign
each
remaining
object to
nearest
medoids



Randomly select a non-
medoid object, O_{random}



Compute
total cost of
swapping



Swapping O
and O_{random}
If quality
is improved

Select initial K medoids randomly

Repeat

Object re-assignment

Swap medoid m with o_i if it
improves the clustering quality

Until convergence criterion is satisfied

Discussion on *K-Medoids* Clustering

- ❑ *K-Medoids* Clustering: Find *representative* objects (medoids) in clusters
- ❑ *PAM* (Partitioning Around Medoids: Kaufmann & Rousseeuw 1987)
 - ❑ Starts from an initial set of medoids, and
 - ❑ Iteratively replaces one of the medoids by one of the non-medoids if it improves the total sum of the squared errors (SSE) of the resulting clustering
 - ❑ *PAM* works effectively for small data sets but does not scale well for large data sets (due to the computational complexity)
 - ❑ Computational complexity: *PAM*: $O(K(n - K)^2)$ (quite expensive!)
- ❑ Efficiency improvements on *PAM*
 - ❑ *CLARA* (Kaufmann & Rousseeuw, 1990):
 - ❑ *PAM* on samples; $O(Ks^2 + K(n - K))$, s is the sample size
 - ❑ *CLARANS* (Ng & Han, 1994): Randomized re-sampling, ensuring efficiency + quality

K-Medians: Handling Outliers by Computing Medians


- ❑ Medians are less sensitive to outliers than means
 - ❑ Think of the median salary vs. mean salary of a large firm when adding a few top executives!
- ❑ ***K-Medians***: Instead of taking the **mean** value of the object in a cluster as a reference point, **medians** are used (L_1 -norm as the distance measure)
- ❑ The criterion function for the *K-Medians* algorithm:
$$S = \sum_{k=1}^K \sum_{x_{ij} \in C_k} |x_{ij} - med_{kj}|$$
- ❑ The *K-Medians* clustering algorithm:
 - ❑ Select K points as the initial representative objects (i.e., as initial K medians)
 - ❑ **Repeat**
 - ❑ Assign every point to its nearest median
 - ❑ Re-compute the median using the median of each individual feature
 - ❑ **Until** convergence criterion is satisfied

K-Modes: Clustering Categorical Data

- ❑ *K-Means* cannot handle non-numerical (categorical) data
 - ❑ Mapping categorical value to 1/0 cannot generate quality clusters
- ❑ ***K-Modes***: An extension to *K-Means* by replacing means of clusters with ***modes***
 - ❑ Mode: The value that appears most often in a **set** of data values
- ❑ Dissimilarity measure between object X and the center of a cluster Z
 - ❑ $\Phi(x_j, z_j) = 1 - n_j^r/n_l$ when $x_j = z_j$; 1 when $x_j \neq z_j$
 - ❑ where z_j is the categorical value of attribute j in Z_l , n_l is the number of objects in cluster l , and n_j^r is the number of objects whose attribute value is r
- ❑ This dissimilarity measure (distance function) is **frequency-based**
- ❑ Algorithm is still based on iterative *object cluster assignment* and *centroid update*
- ❑ A ***fuzzy K-Modes*** method is proposed to calculate a ***fuzzy cluster membership value*** for each object to each cluster
- ❑ A mixture of categorical and numerical data: Using a ***K-Prototype*** method

Kernel K-Means Clustering

- ❑ *Kernel K-Means* can be used to detect non-convex clusters
 - ❑ A region is **convex** if it contains all the line segments connecting any pair of its points. Otherwise, it is **concave**
 - ❑ *K-Means* can only detect clusters that are linearly separable
- ❑ Idea: Project data onto the high-dimensional kernel space, and then perform *K-Means* clustering
 - ❑ Map data points in the input space onto a high-dimensional feature space using the kernel function
 - ❑ Perform *K-Means* on the mapped feature space
- ❑ Computational complexity is higher than K-Means
 - ❑ Need to compute and store $n \times n$ kernel matrix generated from the kernel function on the original data, where n is the number of points
- ❑ *Spectral clustering* can be considered as a variant of Kernel K-Means clustering



Kernel Functions and Kernel K-Means Clustering

- Typical kernel functions:

- Polynomial kernel of degree h : $K(\mathbf{X}_i, \mathbf{X}_j) = (\mathbf{X}_i \cdot \mathbf{X}_j + 1)^h$

- Gaussian radial basis function (RBF) kernel: $K(\mathbf{X}_i, \mathbf{X}_j) = e^{-\|\mathbf{X}_i - \mathbf{X}_j\|^2 / 2\sigma^2}$

- Sigmoid kernel: $K(\mathbf{X}_i, \mathbf{X}_j) = \tanh(\kappa \mathbf{X}_i \cdot \mathbf{X}_j - \delta)$

- The formula for kernel matrix K for any two points $x_i, x_j \in C_k$ is $K_{x_i x_j} = \phi(x_i) \bullet \phi(x_j)$

- The SSE criterion of *kernel K-means*:
$$SSE(C) = \sum_{k=1}^K \sum_{x_i \in C_k} \|\phi(x_i) - c_k\|^2$$

- The formula for the cluster centroid:

$$c_k = \frac{\sum_{x_i \in C_k} \phi(x_i)}{|C_k|}$$

- Clustering can be performed without the actual individual projections $\phi(x_i)$ and $\phi(x_j)$ for the data points $x_i, x_j \in C_k$

Example: Kernel Functions and Kernel K-Means Clustering

- ❑ Gaussian radial basis function (RBF) kernel: $K(\mathbf{x}_i, \mathbf{x}_j) = e^{-\|\mathbf{x}_i - \mathbf{x}_j\|^2 / 2\sigma^2}$
- ❑ Suppose there are 5 original 2-dimensional points:
 - ❑ $x_1(0, 0), x_2(4, 4), x_3(-4, 4), x_4(-4, -4), x_5(4, -4)$
- ❑ If we set σ to 4, we will have the following points in the kernel space
 - ❑ E.g., $\|x_1 - x_2\|^2 = (0 - 4)^2 + (0 - 4)^2 = 32$, thus, $K(x_1, x_2) = e^{-\frac{32}{2 \cdot 4^2}} = e^{-1}$

Original Space			RBF Kernel Space ($\sigma = 4$)				
	x	y	$K(x_i, x_1)$	$K(x_i, x_2)$	$K(x_i, x_3)$	$K(x_i, x_4)$	$K(x_i, x_5)$
x_1	0	0	0	$e^{-\frac{4^2+4^2}{2 \cdot 4^2}} = e^{-1}$	e^{-1}	e^{-1}	e^{-1}
x_2	4	4	e^{-1}	0	e^{-2}	e^{-4}	e^{-2}
x_3	-4	4	e^{-1}	e^{-2}	0	e^{-2}	e^{-4}
x_4	-4	-4	e^{-1}	e^{-4}	e^{-2}	0	e^{-2}
x_5	4	-4	e^{-1}	e^{-2}	e^{-4}	e^{-2}	0

Kernel k-means

Minimize sum of squared error:

Kernel k-means:

$$\min \sum_{i=1}^n \sum_{j=1}^m u_{ij} \|x_i - c_j\|^2$$

↓ Replace with $\varphi(x)$

$$\min \sum_{i=1}^n \sum_{j=1}^m u_{ij} \|\varphi(x_i) - \tilde{c}_j\|^2$$
$$u_{ij} \in \{0,1\} \quad \sum_{j=1}^m u_{ij} = 1$$

Kernel k-means

- Cluster centers:

$$\tilde{c}_j = \frac{1}{n_j} \sum_{i=1}^n u_{ij} \phi(x_i)$$

- Substitute for centers:

$$\begin{aligned} & \sum_{i=1}^n \sum_{j=1}^m u_{ij} \left\| \phi(x_i) - \tilde{c}_j \right\|^2 \\ &= \sum_{i=1}^n \sum_{j=1}^m u_{ij} \left\| \phi(x_i) - \frac{1}{n_j} \sum_{l=1}^n u_{lj} \phi(x_l) \right\|^2 \end{aligned}$$

Kernel k-means

- Use kernel trick:


$$\sum_{i=1}^n \sum_{j=1}^m u_{ij} \left\| \phi(x_i) - \tilde{c}_j \right\|^2 = \text{trace}(K) - \text{trace}(UKU')$$

- Optimization problem:

$$\min \quad \text{trace}(K) - \text{trace}(UKU') \approx \max \quad \text{trace}(UKU')$$


- K is the n x n kernel matrix, U is the optimal normalized cluster membership matrix

Example: Kernel K-Means Clustering



- ❑ The above data set cannot generate quality clusters by K-Means since it contains non-convex clusters
- ❑ Gaussian RBF Kernel transformation maps data to a kernel matrix K for any two points x_i, x_j : $K_{x_i x_j} = \phi(x_i) \bullet \phi(x_j)$ and Gaussian kernel: $K(\mathbf{X}_i, \mathbf{X}_j) = e^{-\|\mathbf{X}_i - \mathbf{X}_j\|^2 / 2\sigma^2}$
- ❑ K-Means clustering is conducted on the mapped data, generating quality clusters

Chapter 10. Cluster Analysis: Basic Concepts and Methods

- ❑ Cluster Analysis: An Introduction
- ❑ Partitioning Methods
- ❑ Hierarchical Methods 
- ❑ Gaussian Mixture Models and E-M algorithm
- ❑ Density- and Grid-Based Methods
- ❑ Spectral Clustering
- ❑ Evaluation of Clustering
- ❑ Summary

Hierarchical Clustering Methods

- ❑ Basic Concepts of Hierarchical Algorithms
- ❑ Agglomerative Clustering Algorithms
- ❑ Divisive Clustering Algorithms
- ❑ Extensions to Hierarchical Clustering


Hierarchical Clustering: Basic Concepts

- ❑ Hierarchical clustering

- ❑ Generate a clustering hierarchy (drawn as a **dendrogram**)
- ❑ Not required to specify **K**, the number of clusters
- ❑ More deterministic
- ❑ No iterative refinement


- ❑ Two categories of algorithms:

- ❑ **Agglomerative**: Start with singleton clusters, continuously merge two clusters at a time to build a **bottom-up** hierarchy of clusters
- ❑ **Divisive**: Start with a huge macro-cluster, split it continuously into two groups, generating a **top-down** hierarchy of clusters



Dendrogram: Shows How Clusters are Merged


- ❑ Dendrogram: Decompose a set of data objects into a tree of clusters by multi-level nested partitioning
- ❑ A clustering of the data objects is obtained by cutting the dendrogram at the desired level, then each connected component forms a cluster



Hierarchical clustering generates a dendrogram (a hierarchy of clusters)

Agglomerative Clustering Algorithm


- ❑ AGNES (AGglomerative NESting) (Kaufmann and Rousseeuw, 1990)
 - ❑ Use the **single-link** method and the dissimilarity matrix
 - ❑ Continuously merge nodes that have the least dissimilarity
 - ❑ Eventually all nodes belong to the same cluster
- ❑ Agglomerative clustering varies on different similarity measures among clusters
 - ❑ Single link (nearest neighbor)
 - ❑ Complete link (diameter)
 - ❑ Average link (group average)
 - ❑ Centroid link (centroid similarity)



Single Link vs. Complete Link in Hierarchical Clustering


❑ Single link (nearest neighbor)

- ❑ The similarity between two clusters is the similarity between their most similar (nearest neighbor) members
- ❑ Local similarity-based: Emphasizing more on close regions, ignoring the overall structure of the cluster
- ❑ Capable of clustering non-elliptical shaped group of objects
- ❑ Sensitive to noise and outliers



❑ Complete link (diameter)

- ❑ The similarity between two clusters is the similarity between their most dissimilar members
- ❑ Merge two clusters to form one with the smallest diameter
- ❑ Nonlocal in behavior, obtaining compact shaped clusters
- ❑ Sensitive to outliers



Agglomerative Clustering: Average vs. Centroid Links

- Agglomerative clustering with **average link**

- Average link:** The average distance between an element in one cluster and an element in the other (i.e., all pairs in two clusters)

- Expensive to compute

- Agglomerative clustering with **centroid link**

- Centroid link:** The distance between the centroids of two clusters

- Group Averaged Agglomerative Clustering (GAAC)**


- Let two clusters C_a and C_b be merged into $C_{a \cup b}$. The new centroid is:

- N_a is the cardinality of cluster C_a , and c_a is the centroid of C_a

- The similarity measure for GAAC is the average of their distances

- Agglomerative clustering with **Ward's criterion**


- Ward's criterion:** The increase in the value of the SSE criterion for the clustering obtained by merging them into $C_a \cup C_b$:
$$W(C_{a \cup b}, c_{a \cup b}) - W(C, c) = \frac{N_a N_b}{N_a + N_b} d(c_a, c_b)$$



Agglomerative Clustering: Example of Single Link

2-D Data points

- a(2,4)
- b(3,2)
- c(2,8)
- d(8,9)
- e(9,6)





Distance Matrix

	a	b	c	d	e
a	0				
b	2.2	0			
c	4	6.1	0		
d	7.8	8.6	6.1	0	
e	7.3	7.2	7.3	3.2	0

Agglomerative Clustering: Example of Single Link

2-D Data points




Distance Matrix

	a,b	c	d	e
a,b	0			
c	4	0		
d	7.8	6.1	0	
e	7.2	7.3	3.2	0



Update distance

- Distance((a,b), c) = $\min(\text{Distance}(a,c), \text{Distance}(b,c)) = \min(4, 6.1) = 4$
- Distance((a,b), d) = $\min(\text{Distance}(a,d), \text{Distance}(b,d)) = \min(7.8, 8.6) = 7.8$
- Distance((a,b), e) = $\min(\text{Distance}(a,e), \text{Distance}(b,e)) = \min(7.3, 7.2) = 7.2$



Agglomerative Clustering: Example of Single Link

2-D Data points



Distance Matrix

	a,b	c	d,e
a,b	0		
c	4	0	
d,e	7.2	6.1	0





Update distance

- Distance((d,e), (a,b)) = $\min(\text{Distance}(d, (a,b)), \text{Distance}(e, (a,b))) = 7.2$
- Distance((d,e), c) = $\min(\text{Distance}(d, c), \text{Distance}(e, c)) = 6.1$

Agglomerative Clustering: Example of Single Link

2-D Data points



Distance Matrix

	a,b,c	d,e
a,b,c	0	
d,e	6.1	0





Update distance

- Distance((d,e), (c,(a,b))) = $\min(\text{Distance}((d,e), (a,b)), \text{Distance}((d,e), c)) = 6.1$

Agglomerative Clustering: Example of Single Link

2-D Data points



Distance Matrix

	a,b,c,d,e
a,b,c,d,e	0


Comparison of different linkage methods

Single Link

Average Link

Complete Link


Ward Link



- ❑ Observations:
- ❑ Single link performs well on non-globular data, but it performs poorly in the presence of noise.
- ❑ Average and Complete Linkage performs well on globular data, but have mixed results otherwise.
- ❑ Ward is the most effective method for noisy data.

Divisive Clustering

- ❑ DIANA (Divisive Analysis) (Kaufmann and Rousseeuw, 1990)
 - ❑ Implemented in some statistical analysis packages, e.g., Splus
- ❑ Inverse order of AGNES: Eventually each node forms a cluster on its own



- ❑ Divisive clustering is a top-down approach
 - ❑ The process starts at the root with all the points as one cluster
 - ❑ It recursively splits the higher level clusters to build the dendrogram
 - ❑ Can be considered as a global approach
 - ❑ More efficient when compared with agglomerative clustering


More on Algorithm Design for Divisive Clustering

- ❑ Choosing which cluster to split
 - ❑ Check the sums of squared errors of the clusters and choose the one with the largest value
- ❑ Splitting criterion: Determining how to split
 - ❑ One may use Ward's criterion to chase for greater reduction in the difference in the SSE criterion as a result of a split
 - ❑ For categorical data, Gini-index can be used
- ❑ Handling the noise
 - ❑ Use a threshold to determine the termination criterion (do not generate clusters that are too small because they contain mainly noises)


Extensions to Hierarchical Clustering

- ❑ Major weaknesses of hierarchical clustering methods
 - ❑ Can never undo what was done previously
 - ❑ Do not scale well
 - ❑ Time complexity of at least $O(n^2)$, where n is the number of total objects
- ❑ Other hierarchical clustering algorithms
 - ❑ BIRCH (1996): Use CF-tree and incrementally adjust the quality of sub-clusters
 - ❑ CURE (1998): Represent a cluster using a set of well-scattered representative points
 - ❑ CHAMELEON (1999): Use graph partitioning methods on the K-nearest neighbor graph of the data

Chapter 10. Cluster Analysis: Basic Concepts and Methods


- ❑ Cluster Analysis: An Introduction
- ❑ Partitioning Methods
- ❑ Hierarchical Methods
- ❑ Gaussian Mixture Models and E-M algorithm 
- ❑ Density- and Grid-Based Methods
- ❑ Evaluation of Clustering
- ❑ Summary

Hard Clustering Can Be Difficult




Soft Clustering

- Every object i is assigned to one cluster j with a probability
 - $P(z_i = j) \in [0,1]$ and $\sum_j P(z_i = j) = 1$
 - Where z_i is a hidden variable of which cluster x_i belongs to.





Gaussian Distribution



1-d Gaussian

$$\mathcal{N}(\mu, \sigma^2) = \frac{1}{\sqrt{2\pi\sigma^2}} e^{-\frac{(x-\mu)^2}{2\sigma^2}}$$

Bean machine: drop ball with pins



2-d Gaussian


$$f_{\mathbf{X}}(x_1, \dots, x_k) = \frac{\exp\left(-\frac{1}{2}(\mathbf{x} - \boldsymbol{\mu})^T \boldsymbol{\Sigma}^{-1}(\mathbf{x} - \boldsymbol{\mu})\right)}{\sqrt{(2\pi)^k |\boldsymbol{\Sigma}|}}$$

Gaussian Mixture Model

Assumptions

- Each data point comes from one of K classes.
- The cluster prior distribution w_j is *unknown*.
- Each class c_j follows a Gaussian

distribution:
$$P(x|c_j, \theta_j) = \frac{1}{\sqrt{2\pi\sigma_j^2}} e^{-\frac{(x-\mu_j)^2}{2\sigma_j^2}}$$



- The parameters for each class μ_j, σ_j are *unknown*(need to be learned).
- The probability of x_i is the sum over all classes, $P(x_i|\theta) = \sum_{j=1}^K P(x_i|c_j, \theta_j)P(c_j)$

Soft Clustering with Gaussian Mixture Model


- Every object i is assigned to one cluster j with a probability
 - $P(z_i = j) \in [0,1]$ and $\sum_j P(z_i = j) = 1$
 - Where z_i is a hidden variable of which cluster x_i belongs to.

Assume the parameters of the GMM have been learned

- The probability of x_i belonging to cluster c_j :
 - $$P(z_i = c_j | x_i) \propto P(x_i, z_i = c_j)$$
$$= w_j P(x_i | z_i = c_j)$$

Cluster prior
probabilities

Probability density
function of each cluster



The E-M (Expectation Maximization) Algorithm

- ❑ A framework to approach maximum likelihood or maximum a posteriori estimates of parameters in statistical models.
- ❑ Expectation Step:
 - ❑ Assigns objects to clusters according to the current soft clustering or parameters of probabilistic clusters
 - ❑ $w_{ij}^{t+1} = P(z_i = j | x_i, \theta_j^t) \propto w_j P(x_i | z_i = j, \theta_j^t)$ ←
- ❑ Maximization Step:
 - ❑ finds the new parameters of each cluster that maximize the expected likelihood
 - ❑ $\theta_{t+1} = \operatorname{argmax}_{\theta} \sum_i \sum_j w_{ij}^{t+1} \log L(x_i, z_j | \theta)$

Joint probability of x_i and its cluster c_j

Example: Applying E-M algorithm to 1-D GMM

Iteratively do the following two steps

E-Step: Evaluate the soft clustering probability according to $\mu_j^t, \sigma_j^t, w_j^t$

$$w_{ij}^{t+1} = \frac{w_j^t P(x_i | \mu_j^t, \sigma_j^t)}{\sum_k w_k^t P(x_i | \mu_k^t, \sigma_k^t)}$$

M-Step: Find the new parameters μ_j^t, σ_j^t that maximize log likelihood. In Gaussian distribution, this is equivalent to do parameter estimation when each data point has a weight.

$$\mu_j^{t+1} = \frac{\sum_i w_{ij}^{t+1} x_i}{\sum_i w_{ij}^{t+1}}, (\sigma_j^2)^{t+1} = \frac{\sum_i w_{ij}^{t+1} (x_i - \mu_j^{t+1})^2}{\sum_i w_{ij}^{t+1}}$$




Weighted average means and variance


$$w_j^{t+1} = \frac{\sum_i w_{ij}^{t+1}}{n}$$

Gaussian Mixture Model


- Example of applying Gaussian Mixture Model



The data points belong to three classes. Each class follows a Gaussian distribution.




We hide the class information.




Class information inferred by GMM.

- We can use E-M algorithm to learn the parameters.

Example: Applying E-M algorithm to 1-D GMM



EM for Learning 2D Gaussian Mixture Model



Gaussian Mixture Model – Strength and Weakness

❑ Advantages


- ❑ Mixture models are more general than partitioning: different densities and sizes of clusters
- ❑ Clusters can be characterized by a small number of parameters
- ❑ The results satisfy the statistical assumptions of generative models

❑ Disadvantages

- ❑ Converge to local optimal
- ❑ Computationally more expensive
- ❑ Hard to estimate the number of clusters
- ❑ Can only deal with spherical clusters


← Overcome it by running multi-times w. random initialization

Chapter 10. Cluster Analysis: Basic Concepts and Methods

- ❑ Cluster Analysis: An Introduction
- ❑ Partitioning Methods
- ❑ Hierarchical Methods
- ❑ Gaussian Mixture Models and E-M algorithm
- ❑ Density-Based Methods 
- ❑ Evaluation of Clustering
- ❑ Summary

Density-Based Clustering

- ❑ Clustering based on density (a local criterion), such as densely-connected points
- ❑ Main Advantages
 - ❑ Discover clusters of arbitrary shape
 - ❑ Handle noise



Representative Density-Based Clustering Methods


□ Several interesting studies:

- DBSCAN: Ester, et al. (KDD'96)
- OPTICS: Ankerst, et al (SIGMOD'99)
- DENCLUE: Hinneburg & D. Keim (KDD'98)
- CLIQUE: Agrawal, et al. (SIGMOD'98) (also, grid-based)

To be covered in this lecture



DBSCAN: High-Level Idea

- DBSCAN
 - Discovers clusters of arbitrary shape:
Density-Based Spatial Clustering of
Applications with Noise
- A *density-based* notion of cluster
 - **A *cluster* is defined as a maximal set of density-connected points**



DBSCAN: Core Concepts

- DBSCAN: A *cluster* is defined as a maximal set of density-connected points
- Two parameters:
 - **$Eps (\epsilon)$** : Maximum radius of the neighborhood
 - **$MinPts$** : Minimum number of points in the Eps -neighborhood of a point
- The $Eps(\epsilon)$ -neighborhood of a point q :
 - $N_{Eps}(q): \{p \text{ belongs to } D \mid \text{dist}(p, q) \leq Eps\}$



DBSCAN: Density-Reachable and Density-Connected

□ Directly density-reachable:


- A point p is **directly density-reachable** from a point q w.r.t. Eps (ϵ), $MinPts$ if
 - p belongs to $N_{Eps}(q)$
 - **core point** condition: $|N_{Eps}(q)| \geq MinPts$

□ Density-reachable:

- A point p is **density-reachable** from a point q w.r.t. Eps , $MinPts$ if there is a chain of points p_1, \dots, p_n , $p_1 = q$, $p_n = p$ such that p_{i+1} is directly density-reachable from p_i

□ Density-connected:

- A point p is **density-connected** to a point q w.r.t. Eps , $MinPts$ if there is a point o such that both p and q are density-reachable from o w.r.t. Eps and $MinPts$




DBSCAN: The Algorithm

Algorithm

- Arbitrarily select a point p
- Retrieve all points density-reachable from p w.r.t. Eps and $MinPts$
 - If p is a core point, a cluster is formed
 - If p is a border point, no points are density-reachable from p , and DBSCAN visits the next point of the database
- Continue the process until all of the points have been processed

Computational complexity

- If a spatial index is used, the computational complexity of DBSCAN is $O(n \log n)$, where n is the number of database objects
- Otherwise, the complexity is $O(n^2)$



DBSCAN Is Sensitive to the Setting of Parameters

Figure 8. DBScan results for DS1 with MinPts at 4 and Eps at (a) 0.5 and (b) 0.4.






Figure 9. DBScan results for DS2 with MinPts at 4 and Eps at (a) 5.0, (b) 3.5, and (c) 3.0.




Ack. Figures from G. Karypis, E.-H. Han, and V. Kumar, *COMPUTER*, 32(8), 1999

Chapter 10. Cluster Analysis: Basic Concepts and Methods

- ❑ Cluster Analysis: An Introduction
- ❑ Partitioning Methods
- ❑ Hierarchical Methods
- ❑ Gaussian Mixture Models and E-M algorithm
- ❑ Density- and Grid-Based Methods 
- ❑ Evaluation of Clustering
- ❑ Summary

Grid-Based Clustering Methods


- ❑ Grid-Based Clustering: Explore multi-resolution grid data structure in clustering
 - ❑ Partition the data space into a finite number of cells to form a grid structure
 - ❑ Find clusters (dense regions) from the cells in the grid structure



CLIQUE: Grid-Based Subspace Clustering

- ❑ CLIQUE (Clustering In QUest) (Agrawal, Gehrke, Gunopulos, Raghavan: SIGMOD'98)
- ❑ CLIQUE is a **density-based** and **grid-based** **subspace clustering** algorithm
 - ❑ **Grid-based**: It discretizes the data space through a grid and estimates the density by counting the number of points in a grid cell
 - ❑ **Density-based**: A cluster is a maximal set of connected dense units in a subspace
 - ❑ A unit is dense if the fraction of total data points contained in the unit exceeds the input model parameter
 - ❑ **Subspace clustering**: A subspace cluster is a set of neighboring dense cells in an arbitrary subspace. It also discovers some minimal descriptions of the clusters
- ❑ It automatically identifies subspaces of a high dimensional data space that allow better clustering than original space using the Apriori principle

CLIQUE: SubSpace Clustering with Aprori Pruning



- ❑ Start at 1-D space and discretize numerical intervals in each axis into grid
- ❑ Find dense regions (clusters) in each subspace and generate their minimal descriptions
- ❑ Use the dense regions to find promising candidates in 2-D space based on the Apriori principle
- ❑ Repeat the above in level-wise manner in higher dimensional subspaces

Major Steps of the CLIQUE Algorithm

- ❑ Identify subspaces that contain clusters
 - ❑ Partition the data space and find the number of points that lie inside each cell of the partition
 - ❑ Identify the subspaces that contain clusters using the Apriori principle
- ❑ Identify clusters
 - ❑ Determine dense units in all subspaces of interests
 - ❑ Determine connected dense units in all subspaces of interests
- ❑ Generate minimal descriptions for the clusters
 - ❑ Determine maximal regions that cover a cluster of connected dense units for each cluster

Additional Comments on *CLIQUE*


□ Strengths

- *Automatically* finds subspaces of the highest dimensionality as long as high density clusters exist in those subspaces
- *Insensitive* to the order of records in input and does not presume some canonical data distribution
- Scales *linearly* with the size of input and has good scalability as the number of dimensions in the data increases

□ Weaknesses

- As in all grid-based clustering approaches, the quality of the results crucially depends on the appropriate choice of the number and width of the partitions and grid cells

Chapter 10. Cluster Analysis: Basic Concepts and Methods

- ❑ Cluster Analysis: An Introduction
- ❑ Partitioning Methods
- ❑ Hierarchical Methods
- ❑ Gaussian Mixture Models and E-M algorithm
- ❑ Density- and Grid-Based Methods
- ❑ Evaluation of Clustering 
- ❑ Summary


Clustering Validation

- ❑ Clustering Validation: Basic Concepts
- ❑ External Measures for Clustering Validation
 - ❑ I: Matching-Based Measures
 - ❑ II: Entropy-Based Measures
 - ❑ III: Pairwise Measures
- ❑ Internal Measures for Clustering Validation
- ❑ Relative Measures
- ❑ Cluster Stability
- ❑ Clustering Tendency

Clustering Validation and Assessment

- Major issues on clustering validation and assessment
 - **Clustering evaluation**
 - Evaluating the goodness of the clustering
 - **Clustering stability**
 - To understand the sensitivity of the clustering result to various algorithm parameters, e.g., # of clusters
 - **Clustering tendency**
 - Assess the suitability of clustering, i.e., whether the data has any inherent grouping structure

Clustering Validation

- ❑ Clustering Validation: Basic Concepts
- ❑ External Measures for Clustering Validation 
 - ❑ I: Matching-Based Measures
 - ❑ II: Entropy-Based Measures
 - ❑ III: Pairwise Measures
- ❑ Internal Measures for Clustering Validation
- ❑ Relative Measures
- ❑ Cluster Stability
- ❑ Clustering Tendency

Measuring Clustering Quality

- ❑ **Clustering Evaluation:** Evaluating the goodness of clustering results
 - ❑ No commonly recognized best suitable measure in practice
- ❑ **Three categorization of measures:** External, internal, and relative
 - ❑ **External:** Supervised, employ criteria not inherent to the dataset
 - ❑ Compare a clustering against prior or expert-specified knowledge (i.e., the ground truth) using certain clustering quality measure
 - ❑ **Internal:** Unsupervised, criteria derived from data itself
 - ❑ Evaluate the goodness of a clustering by considering how well the clusters are separated and how compact the clusters are, e.g., silhouette coefficient
 - ❑ **Relative:** Directly compare different clusterings, usually those obtained via different parameter settings for the same algorithm

Commonly Used External Measures

❑ Matching-based measures


- ❑ Purity, maximum matching, F-measure

❑ Entropy-Based Measures

- ❑ Conditional entropy
- ❑ Normalized mutual information (NMI)

❑ Pairwise measures

- ❑ Four possibilities: True positive (TP), FN, FP, TN
- ❑ Jaccard coefficient, Rand statistic, Fowlkes-Mallow measure



Matching-Based Measures (I): Purity vs. Maximum Matching

❑ **Purity:** Quantifies the extent that cluster C_i contains points only from one (ground truth) partition:
$$purity_i = \frac{1}{n_i} \max_{j=1}^k \{n_{ij}\}$$

❑ Total purity of clustering C :

$$purity = \sum_{i=1}^r \frac{n_i}{n} purity_i = \frac{1}{n} \sum_{i=1}^r \max_{j=1}^k \{n_{ij}\}$$

❑ Perfect clustering if $purity = 1$ and $r = k$ (the number of clusters obtained is the same as that in the ground truth)

❑ Ex. 1 (green or orange): $purity_1 = 30/50$; $purity_2 = 20/25$; $purity_3 = 25/25$; $purity = (30 + 20 + 25)/100 = 0.75$


❑ Two clusters may share the same majority partition

❑ **Maximum matching:** Only one cluster can match one partition

❑ Match: Pairwise matching, weight $w(e_{ij}) = n_{ij}$ $w(M) = \sum_{e \in M} w(e)$

❑ Maximum weight matching: $match = \arg \max_M \left\{ \frac{w(M)}{n} \right\}$

❑ Ex2. (green) $match = purity = 0.75$; (orange) $match = 0.65 > 0.6$



Ground Truth T_1	T_2	T_3
Cluster C_1	C_2	C_3

$C \backslash T$	T_1	T_2	T_3	Sum
C_1	0	20	30	50
C_2	0	20	5	25
C_3	25	0	0	25
m_j	25	40	35	100

$C \backslash T$	T_1	T_2	T_3	Sum
C_1	0	30	20	50
C_2	0	20	5	25
C_3	25	0	0	25
m_j	25	50	25	100



Matching-Based Measures (II): F-Measure

- Precision:** The fraction of points in C_i from the majority partition T_{j_i} (i.e., the same as purity), where j_i is the partition that contains the maximum # of points from C_i

- Ex. For the green table

- $prec_1 = 30/50; prec_2 = 20/25; prec_3 = 25/25$

- Recall:** The fraction of point in partition T_{j_i} shared in common with cluster C_i , where $m_{j_i} = |T_{j_i}|$

- Ex. For the green table


- $recall_1 = 30/35; recall_2 = 20/40; recall_3 = 25/25$

- F-measure** for C_i : The harmonic means of $prec_i$ and $recall_i$: $F_i = \frac{2n_{ij_i}}{n_i + m_{j_i}}$

- F-measure** for clustering C : average of all clusters: $F = \frac{1}{r} \sum_{i=1}^r F_i$

- Ex. For the green table

- $F_1 = 60/85; F_2 = 40/65; F_3 = 1; F = 0.774$



Ground Truth T_1	T_2	T_3
Cluster C_1	C_2	C_3

$C \backslash T$	T_1	T_2	T_3	Sum
C_1	0	20	30	50
C_2	0	20	5	25
C_3	25	0	0	25
m_j	25	40	35	100

Entropy-Based Measures (I): Conditional Entropy

□ Entropy of clustering \mathcal{C} : $H(\mathcal{C}) = - \sum_{i=1}^r p_{C_i} \log p_{C_i}$ $p_{C_i} = \frac{n_i}{n}$ (i.e., the probability of cluster C_i)


□ Entropy of partitioning \mathcal{T} : $H(\mathcal{T}) = - \sum_{j=1}^k p_{T_j} \log p_{T_j}$

□ Entropy of \mathcal{T} with respect to cluster C_i : $H(\mathcal{T}|C_i) = - \sum_{j=1}^k \left(\frac{n_{ij}}{n_i} \right) \log \left(\frac{n_{ij}}{n_i} \right)$

□ Conditional entropy of \mathcal{T} with respect to clustering \mathcal{C} : $H(\mathcal{T}|\mathcal{C}) = - \sum_{i=1}^r \left(\frac{n_i}{n} \right) H(\mathcal{T}|C_i) = - \sum_{i=1}^r \sum_{j=1}^k p_{ij} \log \left(\frac{p_{ij}}{p_{C_i}} \right)$

□ The more a cluster's members are split into different partitions, the higher the conditional entropy

□ For a perfect clustering, the conditional entropy value is 0




$$\begin{aligned}
 H(\mathcal{T}|\mathcal{C}) &= - \sum_{i=1}^r \sum_{j=1}^k p_{ij} (\log p_{ij} - \log p_{C_i}) = - \sum_{i=1}^r \sum_{j=1}^k p_{ij} \log p_{ij} + \sum_{i=1}^r (\log p_{C_i} \sum_{j=1}^k p_{ij}) \\
 &= - \sum_{i=1}^r \sum_{j=1}^k p_{ij} \log p_{ij} + \sum_{i=1}^r (p_{C_i} \log p_{C_i}) = H(\mathcal{C}, \mathcal{T}) - H(\mathcal{C})
 \end{aligned}$$

Entropy-Based Measures (II): Normalized Mutual Information (NMI)

□ Mutual information:

- Quantifies the amount of shared info between the clustering C and partitioning T
$$I(C, T) = \sum_{i=1}^r \sum_{j=1}^k p_{ij} \log\left(\frac{p_{ij}}{p_{C_i} \cdot p_{T_j}}\right)$$
- Measures the dependency between the observed joint probability p_{ij} of C and T , and the expected joint probability $p_{C_i} \cdot p_{T_j}$ under the independence assumption
- When C and T are independent, $p_{ij} = p_{C_i} \cdot p_{T_j}$, $I(C, T) = 0$.



□ Normalized mutual information (NMI)

$$NMI(C, T) = \sqrt{\frac{I(C, T)}{H(C)} \cdot \frac{I(C, T)}{H(T)}} = \frac{I(C, T)}{\sqrt{H(C) \cdot H(T)}}$$

- Value range of NMI: $[0, 1]$. Value close to 1 indicates a good clustering

Pairwise Measures: Four Possibilities for Truth Assignment

❑ **Four possibilities** based on the agreement between cluster label and partition label

❑ **TP: true positive**—Two points \mathbf{x}_i and \mathbf{x}_j belong to the same partition T , and they also in the same cluster C

$$TP = |\{(\mathbf{x}_i, \mathbf{x}_j) : y_i = y_j \text{ and } \hat{y}_i = \hat{y}_j\}|$$

where y_i : the true partition label, and \hat{y}_i : the cluster label for point \mathbf{x}_i

❑ **FN: false negative:** $FN = |\{(\mathbf{x}_i, \mathbf{x}_j) : y_i = y_j \text{ and } \hat{y}_i \neq \hat{y}_j\}|$

❑ **FP: false positive** $FP = |\{(\mathbf{x}_i, \mathbf{x}_j) : y_i \neq y_j \text{ and } \hat{y}_i = \hat{y}_j\}|$

❑ **TN: true negative** $TN = |\{(\mathbf{x}_i, \mathbf{x}_j) : y_i \neq y_j \text{ and } \hat{y}_i \neq \hat{y}_j\}|$


❑ Calculate the four measures:

$$N = \binom{n}{2}$$

Total # of pairs of points

$$TP = \sum_{i=1}^r \sum_{j=1}^k \binom{n_{ij}}{2} = \frac{1}{2} \left(\left(\sum_{i=1}^r \sum_{j=1}^k n_{ij}^2 \right) - n \right) \quad FN = \sum_{j=1}^k \binom{m_j}{2} - TP$$

$$FP = \sum_{i=1}^r \binom{n_i}{2} - TP \quad TN = N - (TP + FN + FP) = \frac{1}{2} \left(n^2 - \sum_{i=1}^r n_i^2 - \sum_{j=1}^k m_j^2 + \sum_{i=1}^r \sum_{j=1}^k n_{ij}^2 \right)$$



Pairwise Measures: Jaccard Coefficient and Rand Statistic

- ❑ **Jaccard coefficient:** Fraction of true positive point pairs, but after ignoring the true negatives (thus asymmetric)

- ❑ $Jaccard = TP / (TP + FN + FP)$ [i.e., denominator ignores TN]

- ❑ Perfect clustering: $Jaccard = 1$

- ❑ **Rand Statistic:**

- ❑ $Rand = (TP + TN) / N$


- ❑ Symmetric; perfect clustering: $Rand = 1$

- ❑ **Fowlkes-Mallow Measure:**

- ❑ Geometric mean of precision and recall

$$FM = \sqrt{prec \times recall} = \frac{TP}{\sqrt{(TP + FN)(TP + FP)}}$$

- ❑ Using the above formulas, one can calculate all the measures for the green table (leave as an exercise)



$C \backslash T$	T_1	T_2	T_3	Sum
C_1	0	20	30	50
C_2	0	20	5	25
C_3	25	0	0	25
m_j	25	40	35	100


Clustering Validation

- ❑ Clustering Validation: Basic Concepts
- ❑ External Measures for Clustering Validation
 - ❑ I: Matching-Based Measures
 - ❑ II: Entropy-Based Measures
 - ❑ III: Pairwise Measures
- ❑ Internal Measures for Clustering Validation
- ❑ Relative Measures
- ❑ Cluster Stability
- ❑ Clustering Tendency



Internal Measures (I): BetaCV Measure

- ❑ A trade-off in maximizing intra-cluster compactness and inter-cluster separation
- ❑ Given a clustering $C = \{C_1, \dots, C_k\}$ with k clusters, cluster C_i containing $n_i = |C_i|$ points
 - ❑ Let $W(S, R)$ be sum of weights on all edges with one vertex in S and the other in R
 - ❑ The sum of all the intra-cluster weights over all clusters: $W_{in} = \frac{1}{2} \sum_{i=1}^k W(C_i, C_i)$
 - ❑ The sum of all the inter-cluster weights: $W_{out} = \frac{1}{2} \sum_{i=1}^k W(C_i, \overline{C_i}) = \sum_{i=1}^{k-1} \sum_{j>i}^k W(C_i, C_j)$
 - ❑ The number of distinct intra-cluster edges: $N_{in} = \sum_{i=1}^k \binom{n_i}{2}$
 - ❑ The number of distinct inter-cluster edges: $N_{out} = \sum_{i=1}^{k-1} \sum_{j=i+1}^k n_i n_j$
- ❑ **Beta-CV measure:** $BetaCV = \frac{W_{in} / N_{in}}{W_{out} / N_{out}}$
 - ❑ The ratio of the mean intra-cluster distance to the mean inter-cluster distance
 - ❑ The smaller, the better the clustering




Internal Measures (II): Normalized Cut


□ **Normalized cut:**
$$NC = \sum_{i=1}^k \frac{W(C_i, \bar{C}_i)}{vol(C_i)} = \sum_{i=1}^k \frac{W(C_i, \bar{C}_i)}{W(C_i, V)} = \sum_{i=1}^k \frac{W(C_i, \bar{C}_i)}{W(C_i, C_i) + W(C_i, \bar{C}_i)} = \sum_{i=1}^k \frac{1}{\frac{W(C_i, C_i)}{W(C_i, \bar{C}_i)} + 1}$$

where $vol(C_i) = W(C_i, V)$ is the volume of cluster C_i


□ The higher normalized cut value, the better the clustering



Clustering Validation

- ❑ Clustering Validation: Basic Concepts
- ❑ External Measures for Clustering Validation
 - ❑ I: Matching-Based Measures
 - ❑ II: Entropy-Based Measures
 - ❑ III: Pairwise Measures
- ❑ Internal Measures for Clustering Validation
- ❑ Relative Measures 
- ❑ Cluster Stability
- ❑ Clustering Tendency

Relative Measure



- Relative measure: Directly compare different clusterings, usually those obtained via different parameter settings for the same algorithm

- Silhouette coefficient as an internal measure:** Check cluster cohesion and separation

- For each point \mathbf{x}_i , its silhouette coefficient s_i is:
$$s_i = \frac{\mu_{out}^{\min}(\mathbf{x}_i) - \mu_{in}(\mathbf{x}_i)}{\max\{\mu_{out}^{\min}(\mathbf{x}_i), \mu_{in}(\mathbf{x}_i)\}}$$
 where $\mu_{in}(\mathbf{x}_i)$ is the mean distance from \mathbf{x}_i to points in its own cluster

$\mu_{out}^{\min}(\mathbf{x}_i)$ is the mean distance from \mathbf{x}_i to points in its closest cluster

- Silhouette coefficient (SC) is the mean values of s_i across all the points:
$$SC = \frac{1}{n} \sum_{i=1}^n s_i$$

- SC close to +1 implies good clustering


- Points are close to their own clusters but far from other clusters

- Silhouette coefficient as a relative measure:** Estimate the # of clusters in the data

$$SC_i = \frac{1}{n_i} \sum_{x_j \in C_i} s_j$$


Pick the k value that yields the best clustering, i.e., yielding high values for SC and SC_i ($1 \leq i \leq k$)

Clustering Validation

- ❑ Clustering Validation: Basic Concepts
- ❑ External Measures for Clustering Validation
 - ❑ I: Matching-Based Measures
 - ❑ II: Entropy-Based Measures
 - ❑ III: Pairwise Measures
- ❑ Internal Measures for Clustering Validation
- ❑ Relative Measures
- ❑ Cluster Stability 
- ❑ Clustering Tendency

Cluster Stability

- ❑ Clusterings obtained from several datasets sampled from the same underlying distribution as \mathbf{D} should be similar or “stable”
- ❑ Typical approach:
 - ❑ Find good parameter values for a given clustering algorithm
- ❑ Example: Find a good value of k , the correct number of clusters
- ❑ A **bootstrapping approach** to find the best value of k (judged on stability)
 - ❑ Generate t samples of size n by sampling from \mathbf{D} with replacement
 - ❑ For each sample \mathbf{D}_i , run the same clustering algorithm with k values from 2 to k_{max}
 - ❑ Compare the distance between all pairs of clusterings $C_k(\mathbf{D}_i)$ and $C_k(\mathbf{D}_j)$ via some distance function
 - ❑ Compute the expected pairwise distance for each value of k
 - ❑ The value k^* that exhibits the least deviation between the clusterings obtained from the resampled datasets is the best choice for k since it exhibits the most stability



Other Methods for Finding K, the Number of Clusters


□ Empirical method

- # of clusters: $k \approx \sqrt{n/2}$ for a dataset of n points (e.g., $n = 200$, $k = 10$)

□ Elbow method: Use the turning point in the curve of the sum of within cluster variance with respect to the # of clusters


□ Cross validation method

- Divide a given data set into m parts
- Use $m - 1$ parts to obtain a clustering model
- Use the remaining part to test the quality of the clustering
 - For example, for each point in the test set, find the closest centroid, and use the sum of squared distance between all points in the test set and the closest centroids to measure how well the model fits the test set
- For any $k > 0$, repeat it m times, compare the overall quality measure w.r.t. different k 's, and find # of clusters that fits the data the best




Clustering Tendency: Whether the Data Contains Inherent Grouping Structure

- ❑ Assessing the **suitability of clustering**
 - ❑ (i.e., whether the data has any inherent grouping structure)
- ❑ Determining ***clustering tendency*** or ***clusterability***
 - ❑ **A hard task** because there are so many different definitions of clusters
 - ❑ E.g., partitioning, hierarchical, density-based, graph-based, etc.
 - ❑ Even fixing cluster type, still hard to define an appropriate null model for a data set
- ❑ Still, there are some **clusterability assessment methods**, such as
 - ❑ **Spatial histogram**: Contrast the histogram of the data with that generated from random samples To be covered here
 - ❑ **Distance distribution**: Compare the pairwise point distance from the data with those from the randomly generated samples
 - ❑ **Hopkins Statistic**: A sparse sampling test for spatial randomness




Clustering Validation


- ❑ Clustering Validation: Basic Concepts
- ❑ External Measures for Clustering Validation
 - ❑ I: Matching-Based Measures
 - ❑ II: Entropy-Based Measures
 - ❑ III: Pairwise Measures
- ❑ Internal Measures for Clustering Validation
- ❑ Relative Measures
- ❑ Cluster Stability
- ❑ Clustering Tendency 

Testing Clustering Tendency: A Spatial Histogram Approach

- ❑ **Spatial Histogram Approach:** Contrast the d -dimensional histogram of the input dataset D with the histogram generated from random samples
 - ❑ Dataset D is clusterable if the distributions of two histograms are rather different
- ❑ Method outline
 - ❑ Divide each dimension into equi-width bins, count how many points lie in each cells, and obtain the empirical joint probability mass function (EPMF)
 - ❑ Do the same for the randomly sampled data
 - ❑ Compute how much they differ using the *Kullback-Leibler (KL) divergence* value



Chapter 10. Cluster Analysis: Basic Concepts and Methods

- ❑ Cluster Analysis: An Introduction
- ❑ Partitioning Methods
- ❑ Hierarchical Methods
- ❑ Gaussian Mixture Models and E-M algorithm
- ❑ Density- and Grid-Based Methods
- ❑ Evaluation of Clustering
- ❑ Summary 

Summary

- ❑ Cluster Analysis: An Introduction
- ❑ Partitioning Methods
- ❑ Hierarchical Methods
- ❑ Density- and Grid-Based Methods
- ❑ Evaluation of Clustering

References: (I) Cluster Analysis: An Introduction

- ❑ Jiawei Han, Micheline Kamber, and Jian Pei. Data Mining: Concepts and Techniques. Morgan Kaufmann, 3rd ed. , 2011 (Chapters 10 & 11)
- ❑ Charu Aggarwal and Chandran K. Reddy (eds.). Data Clustering: Algorithms and Applications. CRC Press, 2014
- ❑ Mohammed J. Zaki and Wagner Meira, Jr.. Data Mining and Analysis: Fundamental Concepts and Algorithms. Cambridge University Press, 2014
- ❑ L. Kaufman and P. J. Rousseeuw, Finding Groups in Data: An Introduction to Cluster Analysis, John Wiley & Sons, 1990
- ❑ Charu Aggarwal. An Introduction to Clustering Analysis. *in* Aggarwal and Reddy (eds.). Data Clustering: Algorithms and Applications (Chapter 1). CRC Press, 2014

References: (II) Partitioning Methods

- ❑ J. MacQueen. Some Methods for Classification and Analysis of Multivariate Observations. In *Proc. of the 5th Berkeley Symp. on Mathematical Statistics and Probability*, 1967
- ❑ S. Lloyd. Least Squares Quantization in PCM. *IEEE Trans. on Information Theory*, 28(2), 1982
- ❑ A. K. Jain and R. C. Dubes. Algorithms for Clustering Data. Prentice Hall, 1988
- ❑ R. Ng and J. Han. Efficient and Effective Clustering Method for Spatial Data Mining. VLDB'94
- ❑ B. Schölkopf, A. Smola, and K. R. Müller. Nonlinear Component Analysis as a Kernel Eigenvalue Problem. *Neural computation*, 10(5):1299–1319, 1998
- ❑ I. S. Dhillon, Y. Guan, and B. Kulis. Kernel K-Means: Spectral Clustering and Normalized Cuts. *KDD'04*
- ❑ D. Arthur and S. Vassilvitskii. K-means++: The Advantages of Careful Seeding. SODA'07
- ❑ C. K. Reddy and B. Vinzamuri. A Survey of Partitional and Hierarchical Clustering Algorithms, in (Chap. 4) Aggarwal and Reddy (eds.), *Data Clustering: Algorithms and Applications*. CRC Press, 2014

References: (III) Hierarchical Methods

- ❑ A. K. Jain and R. C. Dubes. Algorithms for Clustering Data. Prentice Hall, 1988
- ❑ L. Kaufman and P. J. Rousseeuw. Finding Groups in Data: An Introduction to Cluster Analysis. John Wiley & Sons, 1990
- ❑ T. Zhang, R. Ramakrishnan, and M. Livny. BIRCH: An Efficient Data Clustering Method for Very Large Databases. SIGMOD'96
- ❑ S. Guha, R. Rastogi, and K. Shim. Cure: An Efficient Clustering Algorithm for Large Databases. SIGMOD'98
- ❑ G. Karypis, E.-H. Han, and V. Kumar. CHAMELEON: A Hierarchical Clustering Algorithm Using Dynamic Modeling. *COMPUTER*, 32(8): 68-75, 1999.
- ❑ C. K. Reddy and B. Vinzamuri. A Survey of Partitional and Hierarchical Clustering Algorithms, in (Chap. 4) Aggarwal and Reddy (eds.), Data Clustering: Algorithms and Applications. CRC Press, 2014

References: (IV) Density- and Grid-Based Methods

- ❑ M. Ester, H.-P. Kriegel, J. Sander, and X. Xu. A Density-Based Algorithm for Discovering Clusters in Large Spatial Databases. KDD'96
- ❑ W. Wang, J. Yang, R. Muntz, STING: A Statistical Information Grid Approach to Spatial Data Mining, VLDB'97
- ❑ R. Agrawal, J. Gehrke, D. Gunopulos, and P. Raghavan. Automatic Subspace Clustering of High Dimensional Data for Data Mining Applications. SIGMOD'98
- ❑ A. Hinneburg and D. A. Keim. An Efficient Approach to Clustering in Large Multimedia Databases with Noise. KDD'98
- ❑ M. Ankerst, M. M. Breunig, H.-P. Kriegel, and J. Sander. Optics: Ordering Points to Identify the Clustering Structure. SIGMOD'99
- ❑ M. Ester. Density-Based Clustering. In (Chapter 5) Aggarwal and Reddy (eds.), Data Clustering: Algorithms and Applications . CRC Press. 2014
- ❑ W. Cheng, W. Wang, and S. Batista. Grid-based Clustering. In (Chapter 6) Aggarwal and Reddy (eds.), Data Clustering: Algorithms and Applications. CRC Press. 2014

References: (IV) Evaluation of Clustering

- ❑ M. J. Zaki and W. Meira, Jr.. Data Mining and Analysis: Fundamental Concepts and Algorithms. Cambridge University Press, 2014
- ❑ L. Hubert and P. Arabie. Comparing Partitions. *Journal of Classification*, 2:193–218, 1985
- ❑ A. K. Jain and R. C. Dubes. Algorithms for Clustering Data. Printice Hall, 1988
- ❑ M. Halkidi, Y. Batistakis, and M. Vazirgiannis. On Clustering Validation Techniques. *Journal of Intelligent Info. Systems*, 17(2-3):107–145, 2001
- ❑ J. Han, M. Kamber, and J. Pei. Data Mining: Concepts and Techniques. Morgan Kaufmann, 3rd ed. , 2011
- ❑ H. Xiong and Z. Li. Clustering Validation Measures. in (Chapter 23) C. Aggarwal and C. K. Reddy (eds.), Data Clustering: Algorithms and Applications. CRC Press, 2014



Happy Holidays

BIRCH (Balanced Iterative Reducing and Clustering Using Hierarchies)

- ❑ A multiphase clustering algorithm (Zhang, Ramakrishnan & Livny, SIGMOD'96)
- ❑ Incrementally construct a CF (Clustering Feature) tree, a hierarchical data structure for multiphase clustering
 - ❑ Phase 1: Scan DB to build an initial in-memory CF tree (a multi-level compression of the data that tries to preserve the inherent clustering structure of the data)
 - ❑ Phase 2: Use an arbitrary clustering algorithm to cluster the leaf nodes of the CF-tree
- ❑ Key idea: Multi-level clustering
 - ❑ Low-level micro-clustering: Reduce complexity and increase scalability
 - ❑ High-level macro-clustering: Leave enough flexibility for high-level clustering
- ❑ *Scales linearly*: Find a good clustering with a single scan and improve the quality with a few additional scans


Clustering Feature Vector in BIRCH

❑ Clustering Feature (CF): $CF = (N, LS, SS)$

❑ N : Number of data points

❑ LS : linear sum of N points: $\sum_{i=1}^N X_i$

❑ SS : square sum of N points: $\sum_{i=1}^N X_i^2$



$CF = (5, (16,30), (54,190))$

(3,4)

(2,6)

(4,5)

(4,7)

(3,8)

❑ Clustering feature:


❑ Summary of the statistics for a given sub-cluster: the 0-th, 1st, and 2nd moments of the sub-cluster from the statistical point of view

❑ Registers crucial measurements for computing cluster and utilizes storage efficiently

Measures of Cluster: Centroid, Radius and Diameter

□ Centroid: \vec{x}_0

- the “middle” of a cluster
- n : number of points in a cluster
- \vec{x}_i is the i -th point in the cluster



$$\vec{x}_0 = \frac{\sum_i^n \vec{x}_i}{n}$$

□ Radius: R

- Average distance from member objects to the centroid
- The square root of average distance from any point of the cluster to its centroid

$$R = \sqrt{\frac{\sum_i^n (\vec{x}_i - \vec{x}_0)^2}{n}}$$

□ Diameter: D

- Average pairwise distance within a cluster
- The square root of average mean squared distance between all pairs of points in the cluster

$$D = \sqrt{\frac{\sum_i^n \sum_j^n (\vec{x}_i - \vec{x}_j)^2}{n(n-1)}}$$

The CF Tree Structure in BIRCH

- Incremental insertion of new points (similar to B+-tree)

- For each point in the input

- Find closest leaf entry

- Add point to leaf entry and update CF


- If entry diameter $>$ max_diameter

- split leaf, and possibly parents

- A CF tree has two parameters

- Branching factor: Maximum number of children

- Maximum diameter of sub-clusters stored at the leaf nodes




- A CF tree: A height-balanced tree that stores the clustering features (CFs)
- The non-leaf nodes store sums of the CFs of their children

BIRCH: A Scalable and Flexible Clustering Method

- ❑ An integration of agglomerative clustering with other (flexible) clustering methods
 - ❑ Low-level micro-clustering
 - ❑ Exploring CP-feature and BIRCH tree structure
 - ❑ Preserving the inherent clustering structure of the data
 - ❑ Higher-level macro-clustering
 - ❑ Provide sufficient flexibility for integration with other clustering methods
- ❑ Impact to many other clustering methods and applications
- ❑ Concerns
 - ❑ Sensitive to insertion order of data points
 - ❑ Due to the fixed size of leaf nodes, clusters may not be so natural
 - ❑ Clusters tend to be spherical given the radius and diameter measures

CURE: Clustering Using Representatives

- **CURE** (Clustering Using REpresentatives) (S. Guha, R. Rastogi, and K. Shim, 1998)
 - Represent a cluster using a set of well-scattered representative points
- Cluster distance: Minimum distance between the representative points chosen
 - This incorporates features of both single link and average link
- Shrinking factor α : The points are shrunk towards the centroid by a factor α
 - Far away points are shrunk more towards the center: More robust to outliers
- Choosing scattered points helps CURE capture clusters of arbitrary shapes




Courtesy: Kyuseok Shim@SNU.KR

CHAMELEON: Hierarchical Clustering Using Dynamic Modeling


- ❑ CHAMELEON: A graph partitioning approach (G. Karypis, E. H. Han, and V. Kumar, 1999)
- ❑ Measures the similarity based on a dynamic model
 - ❑ Two clusters are merged only if the *interconnectivity* and *closeness (proximity)* between two clusters are high *relative to* the internal interconnectivity of the clusters and closeness of items within the clusters
- ❑ A graph-based, two-phase algorithm
 1. Use a graph-partitioning algorithm: Cluster objects into a large number of relatively small sub-clusters
 2. Use an agglomerative hierarchical clustering algorithm: Find the genuine clusters by repeatedly combining these sub-clusters

Overall Framework of CHAMELEON




KNN Graphs and Interconnectivity


- K-nearest neighbor (KNN) graphs from an original data in 2D:




(a) Original Data in 2D



(b) 1-nearest neighbor graph



(c) 2-nearest neighbor graph



(d) 3-nearest neighbor graph

- $EC_{\{C_i, C_j\}}$: The absolute interconnectivity between C_i and C_j :
 - *The sum of the weight of the edges that connect vertices in C_i to vertices in C_j*
- Internal interconnectivity of a cluster C_i : *The size of its min-cut bisector EC_{C_i} (i.e., the weighted sum of edges that partition the graph into two roughly equal parts)*
- Relative Interconnectivity (RI):

$$RI(C_i, C_j) = \frac{|EC_{\{C_i, C_j\}}|}{\frac{|EC_{C_i}| + |EC_{C_j}|}{2}}$$




Relative Closeness & Merge of Sub-Clusters

- ❑ **Relative closeness** between a pair of clusters C_i and C_j : *The absolute closeness between C_i and C_j normalized w.r.t. the internal closeness of the two clusters C_i and C_j*

$$RC(C_i, C_j) = \frac{\bar{S}_{EC\{C_i, C_j\}}}{\frac{|C_i|}{|C_i|+|C_j|}\bar{S}_{EC_{C_i}} + \frac{|C_j|}{|C_i|+|C_j|}\bar{S}_{EC_{C_j}}}$$

- ❑ where $\bar{S}_{EC_{C_i}}$ and $\bar{S}_{EC_{C_j}}$ are the average weights of the edges that belong to the min-cut bisector of clusters C_i and C_j , respectively, and $\bar{S}_{EC\{C_i, C_j\}}$ is the average weight of the edges that connect vertices in C_i to vertices in C_j
- ❑ **Merge Sub-Clusters:**
 - ❑ Merges only those pairs of clusters whose RI and RC are both above some user-specified thresholds
 - ❑ Merge those maximizing the function that combines RI and RC

CHAMELEON: Clustering Complex Objects



CHAMELEON is capable to generate quality clusters at clustering complex objects

Probabilistic Hierarchical Clustering

- ❑ Algorithmic hierarchical clustering
 - ❑ Nontrivial to choose a good distance measure
 - ❑ Hard to handle missing attribute values
 - ❑ Optimization goal not clear: heuristic, local search
- ❑ Probabilistic hierarchical clustering
 - ❑ Use probabilistic models to measure distances between clusters
 - ❑ Generative model: Regard the set of data objects to be clustered as a sample of the underlying data generation mechanism to be analyzed
 - ❑ Easy to understand, same efficiency as algorithmic agglomerative clustering method, can handle partially observed data
- ❑ In practice, assume the generative models adopt common distribution functions, e.g., Gaussian distribution or Bernoulli distribution, governed by parameters

Generative Model

- Given a set of 1-D points $X = \{x_1, \dots, x_n\}$ for clustering analysis & assuming they are generated by a Gaussian distribution:

$$\mathcal{N}(\mu, \sigma^2) = \frac{1}{\sqrt{2\pi\sigma^2}} e^{-\frac{(x-\mu)^2}{2\sigma^2}}$$

- The probability that a point $x_i \in X$ is generated by the model:

$$P(x_i | \mu, \sigma^2) = \frac{1}{\sqrt{2\pi\sigma^2}} e^{-\frac{(x_i - \mu)^2}{2\sigma^2}}$$

- The likelihood that X is generated by the model:

$$L(\mathcal{N}(\mu, \sigma^2) : X) = P(X | \mu, \sigma^2) = \prod_{i=1}^n \frac{1}{\sqrt{2\pi\sigma^2}} e^{-\frac{(x_i - \mu)^2}{2\sigma^2}}$$


- The task of learning the generative model: find the parameters μ and σ^2 such that

$$\mathcal{N}(\mu_0, \sigma_0^2) = \arg \max \{ L(\mathcal{N}(\mu, \sigma^2) : X) \}$$



the maximum likelihood




Gaussian Distribution



Bean machine:
drop ball
with pins



1-d
Gaussian



2-d
Gaussian

From wikipedia and <http://home.dei.polimi.it>

A Probabilistic Hierarchical Clustering Algorithm

- For a set of objects partitioned into m clusters C_1, \dots, C_m , the quality can be measured by

$$Q(\{C_1, \dots, C_m\}) = \prod_{i=1}^m P(C_i)$$

where $P()$ is the maximum likelihood


- If we merge two clusters C_{j_1} and C_{j_2} into a cluster $C_{j_1} \cup C_{j_2}$, the change in quality of the overall clustering is

$$\begin{aligned} & Q((\{C_1, \dots, C_m\} - \{C_{j_1}, C_{j_2}\}) \cup \{C_{j_1} \cup C_{j_2}\}) - Q(\{C_1, \dots, C_m\}) \\ = & \frac{\prod_{i=1}^m P(C_i) \cdot P(C_{j_1} \cup C_{j_2})}{P(C_{j_1})P(C_{j_2})} - \prod_{i=1}^m P(C_i) \\ = & \prod_{i=1}^m P(C_i) \left(\frac{P(C_{j_1} \cup C_{j_2})}{P(C_{j_1})P(C_{j_2})} - 1 \right) \end{aligned}$$

- Distance between clusters C_1 and C_2 :


$$\text{dist}(C_i, C_j) = -\log \frac{P(C_1 \cup C_2)}{P(C_1)P(C_2)}$$

- If $\text{dist}(C_i, C_j) < 0$, merge C_i and C_j



OPTICS: Ordering Points To Identify Clustering Structure

- ❑ OPTICS (Ankerst, Breunig, Kriegel, and Sander, SIGMOD'99)
 - ❑ DBSCAN is sensitive to parameter setting
 - ❑ An extension: finding clustering structure
- ❑ Observation: Given a *MinPts*, density-based clusters w.r.t. a higher density are completely contained in clusters w.r.t. to a lower density
- ❑ Idea: Higher density points should be processed first—find high-density clusters first
- ❑ OPTICS stores such a clustering order using two pieces of information:
 - ❑ *Core distance* and *reachability distance*



- ❑ Since points belonging to a cluster have a low reachability distance to their nearest neighbor, valleys correspond to clusters
- ❑ The deeper the valley, the denser the cluster

OPTICS: An Extension from DBSCAN

- Core distance of an object p : The smallest value ε such that the ε -neighborhood of p has at least $MinPts$ objects

Let $N_\varepsilon(p)$: ε -neighborhood of p

ε is a distance value

Core-distance $_{\varepsilon, MinPts}(p)$ = Undefined if $\text{card}(N_\varepsilon(p)) < MinPts$

$MinPts$ -distance(p), otherwise

- Reachability distance of object p from core object q is the min. radius value that makes p density-reachable from q

Reachability-distance $_{\varepsilon, MinPts}(p, q)$ =

Undefined, if q is not a core object

$\max(\text{core-distance}(q), \text{distance}(q, p))$, otherwise

- Complexity: $O(N \log N)$ (if index-based)

where N : # of points






Figure 10.16: OPTICS terminology. Based on [ABKS99].



OPTICS: Finding Hierarchically Nested Clustering Structures

- OPTICS produces a special cluster-ordering of the data points with respect to its density-based clustering structure
- The cluster-ordering contains information equivalent to the density-based clusterings corresponding to a broad range of parameter settings
- Good for both automatic and interactive cluster analysis—finding intrinsic, even hierarchically nested clustering structures



Finding nested clustering structures with different parameter settings