

Introduction to Computer Graphics with WebGL

Ed Angel
Professor Emeritus of Computer Science
Founding Director, Arts, Research,
Technology and Science Laboratory
University of New Mexico



Clipping

Ed Angel Professor Emeritus of Computer Science University of New Mexico




Objectives

- Clipping lines
- First of implementation algorithms
- Clipping polygons (next lecture)
- Focus on pipeline plus a few classic algorithms



Clipping

- 2D against clipping window
- 3D against clipping volume
- Easy for line segments polygons
- Hard for curves and text
 - Convert to lines and polygons first








Clipping 2D Line Segments


- Brute force approach: compute intersections with all sides of clipping window
 - Inefficient: one division per intersection





Cohen-Sutherland Algorithm


- Idea: eliminate as many cases as possible without computing intersections
- Start with four lines that determine the sides of the clipping window





The Cases

- Case 1: both endpoints of line segment inside all four lines
 - Draw (accept) line segment as is




- Case 2: both endpoints outside all lines and on same side of a line
 - Discard (reject) the line segment



The Cases

- Case 3: One endpoint inside, one outside
 - Must do at least one intersection
- Case 4: Both outside
 - May have part inside
 - Must do at least one intersection





Defining Outcodes

For each endpoint, define an outcode

$$b_0 b_1 b_2 b_3$$


$$b_0 = 1$$
 if $y > y_{max}$, 0 otherwise $b_1 = 1$ if $y < y_{min}$, 0 otherwise $b_2 = 1$ if $x > x_{max}$, 0 otherwise $b_3 = 1$ if $x < x_{min}$, 0 otherwise

1001	1000	1010	v = v
0001	0000	0010	$y = y_{\text{max}}$
0101	0100	0110	$y = y_{\min}$
$x = x_{\min} x = x_{\max}$			

- Outcodes divide space into 9 regions
- Computation of outcode requires at most 4 subtractions




- Consider the 5 cases below
- AB: outcode(A) = outcode(B) = 0
 - Accept line segment






- CD: outcode (C) = 0, outcode(D) \neq 0
 - Compute intersection
 - Location of 1 in outcode(D) determines which edge to intersect with
 - Note if there were a segment from A to a point in a region with 2 ones in outcode, we might have to do two interesections






- EF: outcode(E) logically ANDed with outcode(F) (bitwise) ≠ 0
 - Both outcodes have a 1 bit in the same place
 - Line segment is outside of corresponding side of clipping window
 - reject





- GH and IJ: same outcodes, neither zero but logical AND yields zero
- Shorten line segment by intersecting with one of sides of window
- Compute outcode of intersection (new endpoint of shortened line segment)
- Reexecute algorithm






Efficiency

- In many applications, the clipping window is small relative to the size of the entire data base
 - Most line segments are outside one or more side of the window and can be eliminated based on their outcodes
- Inefficiency when code has to be reexecuted for line segments that must be shortened in more than one step



Cohen Sutherland in 3D


- Use 6-bit outcodes
- When needed, clip line segment against planes






Clipping and Normalization

- General clipping in 3D requires intersection of line segments against arbitrary plane
- Example: oblique view






Plane-Line Intersections



$$a = \frac{n \bullet (p_o - p_1)}{n \bullet (p_2 - p_1)}$$



Normalized Form



before normalization

after normalization

Normalization is part of viewing (pre clipping) but after normalization, we clip against sides of right parallelepiped

Typical intersection calculation now requires only a floating point subtraction, e.g. is $x > x_{max}$?



Introduction to Computer Graphics with WebGL

Ed Angel
Professor Emeritus of Computer Science
Founding Director, Arts, Research,
Technology and Science Laboratory
University of New Mexico



Polygon Rendering

Ed Angel Professor Emeritus of Computer Science University of New Mexico




Objectives


- Introduce clipping algorithms for polygons
- Survey hidden-surface algorithms



Polygon Clipping

- Not as simple as line segment clipping
 - Clipping a line segment yields at most one line segment
 - Clipping a polygon can yield multiple polygons






 However, clipping a convex polygon can yield at most one other polygon



Tessellation and Convexity


- One strategy is to replace nonconvex (concave)
 polygons with a set of triangular polygons (a
 tessellation)
- Also makes fill easier
- Tessellation through tesselllation shaders





Clipping as a Black Box


 Can consider line segment clipping as a process that takes in two vertices and produces either no vertices or the vertices of a clipped line segment






Pipeline Clipping of Line Segments


- Clipping against each side of window is independent of other sides
 - Can use four independent clippers in a pipeline







Pipeline Clipping of Polygons




- Three dimensions: add front and back clippers
- Strategy used in SGI Geometry Engine
- Small increase in latency



Bounding Boxes


- Rather than doing clipping on a complex polygon, we can use an axis-aligned bounding box or extent
 - Smallest rectangle aligned with axes that encloses the polygon
 - Simple to compute: max and min of x and y





Bounding boxes

Can usually determine accept/reject based only on bounding box






Clipping and Visibility

- Clipping has much in common with hidden-surface removal
- In both cases, we are trying to remove objects that are not visible to the camera
- Often we can use visibility or occlusion testing early in the process to eliminate as many polygons as possible before going through the entire pipeline



Hidden Surface Removal

 Object-space approach: use pairwise testing between polygons (objects)




Worst case complexity O(n²) for n polygons




Painter's Algorithm

 Render polygons a back to front order so that polygons behind others are simply

painted over





B behind A as seen by viewer


Fill B then A



Depth Sort

- Requires ordering of polygons first
 - O(n log n) calculation for ordering
 - Not every polygon is either in front or behind all other polygons
- Order polygons and deal with easy cases first, harder later


Polygons sorted by distance from COP







Easy Cases

- A lies behind all other polygons
 - Can render




- Polygons overlap in z but not in either x or y
 - Can render independently









Hard Cases



Overlap in all directions but can one is fully on one side of the other



cyclic overlap




penetration



Back-Face Removal (Culling)

The University of New Mexico

•face is visible iff $90 \ge \theta \ge -90$ equivalently $\cos \theta \ge 0$ or $\mathbf{v} \cdot \mathbf{n} \ge 0$



- •plane of face has form ax + by +cz +d =0but after normalization $\mathbf{n} = (\ 0\ 0\ 1\ 0)^T$
- •need only test the sign of c
- •In OpenGL we can simply enable culling but may not work correctly if we have nonconvex objects




Image Space Approach

 Look at each projector (nm for an n x m frame buffer) and find closest of k polygons

Complexity O(nmk)

- Ray tracing
- z-buffer





z-Buffer Algorithm

- Use a buffer called the z or depth buffer to store the depth of the closest object at each pixel found so far
- As we render each polygon, compare the depth of each pixel to depth in z buffer

If less, place shade of pixel in color buffer and update z buffer




Efficiency

• If we work scan line by scan line as we move across a scan line, the depth changes satisfy $a\Delta x + b\Delta y + c\Delta z = 0$

$$\Delta y = 0$$

$$\Delta z = -\frac{a}{c} \Delta x$$


In screen space $\Delta x = 1$





Scan-Line Algorithm

Can combine shading and hsr through scan line algorithm



scan line i: no need for depth information, can only be in no or one polygon

scan line j: need depth information only when in more than one polygon




Implementation

- Need a data structure to store
 - Flag for each polygon (inside/outside)
 - Incremental structure for scan lines that stores which edges are encountered
 - Parameters for planes




Visibility Testing

- In many realtime applications, such as games, we want to eliminate as many objects as possible within the application
 - Reduce burden on pipeline
 - Reduce traffic on bus
- Partition space with Binary Spatial Partition (BSP) Tree






Simple Example



consider 6 parallel polygons




The plane of A separates B and C from D, E and F



BSP Tree

- Can continue recursively
 - Plane of C separates B from A
 - Plane of D separates E and F
- Can put this information in a BSP tree
 - Use for visibility and occlusion testing





Introduction to Computer Graphics with WebGL

Ed Angel
Professor Emeritus of Computer Science
Founding Director, Arts, Research,
Technology and Science Laboratory
University of New Mexico



Rasterization

Ed Angel Professor Emeritus of Computer Science University of New Mexico



Objectives

- Survey Line Drawing Algorithms
 - DDA
 - Bresenham's Algorithm
- Aliasing and Antialiasing



Rasterization

- Rasterization (scan conversion)
 - Determine which pixels that are inside primitive specified by a set of vertices
 - Produces a set of fragments
 - Fragments have a location (pixel location) and other attributes such color and texture coordinates that are determined by interpolating values at vertices
- Pixel colors determined later using color, texture, and other vertex properties



Scan Conversion of Line Segments


 Start with line segment in window coordinates with integer values for endpoints

y = mx + h

Assume implementation has a

write_pixel function

$$m = \frac{\Delta y}{\Delta x}$$



DDA Algorithm


- <u>Digital Differential Analyzer</u>
 - DDA was a mechanical device for numerical solution of differential equations
 - Line y=mx+ h satisfies differential equation $dy/dx = m = \Delta y/\Delta x = y_2-y_1/x_2-x_1$
- Along scan line $\Delta x = 1$

```
For(x=x1; x<=x2,ix++) {
    y+=m;
    write_pixel(x, round(y), line_color)
}</pre>
```



Problem


- DDA = for each x plot pixel at closest y
 - Problems for steep lines





Using Symmetry

- Use for $1 \ge m \ge 0$
- For m > 1, swap role of x and y
 - For each y, plot closest x






Bresenham's Algorithm

- DDA requires one floating point addition per step
- We can eliminate all fp through Bresenham's algorithm
- Consider only $1 \ge m \ge 0$
 - Other cases by symmetry
- Assume pixel centers are at half integers
- If we start at a pixel that has been written, there are only two candidates for the next pixel to be written into the frame buffer



Candidate Pixels

 $1 \ge m \ge 0$




Note that line could have passed through any part of this pixel



Decision Variable

$$d = \Delta x(b-a)$$

d is an integerd > 0 use upper pixeld < 0 use lower pixel





Incremental Form

• More efficient if we look at d_k , the value of the decision variable at x=k

$$\begin{aligned} &d_{k+1} = d_k - 2\Delta y, & \text{if } d_k < 0 \\ &d_{k+1} = d_k - 2(\Delta y - \Delta x), & \text{otherwise} \end{aligned}$$

- •For each x, we need do only an integer addition and a test
- Single instruction on graphics chips



Polygon Scan Conversion


- Scan Conversion = Fill
- How to tell inside from outside
 - Convex easy
 - Nonsimple difficult
 - Odd even test
 - Count edge crossings
 - Winding number

odd-even fill



Winding Number

Count clockwise encirclements of point



 Alternate definition of inside: inside if winding number ≠ 0




Filling in the Frame Buffer

- Fill at end of pipeline
 - Convex Polygons only
 - Nonconvex polygons assumed to have been tessellated
 - Shades (colors) have been computed for vertices (Gouraud shading)
 - Combine with z-buffer algorithm
 - March across scan lines interpolating shades
 - Incremental work small



Using Interpolation

 $C_1 C_2 C_3$ specified by **glColor** or by vertex shading C_4 determined by interpolating between C_1 and C_2 C_5 determined by interpolating between C_2 and C_3 interpolate between C_4 and C_5 along span





Flood Fill


- Fill can be done recursively if we know a seed point located inside (WHITE)
- Scan convert edges into buffer in edge/inside color (BLACK)

```
flood_fill(int x, int y) {
    if(read_pixel(x,y) = = WHITE) {
        write_pixel(x,y,BLACK);
        flood_fill(x-1, y);
        flood_fill(x+1, y);
        flood_fill(x, y+1);
        flood_fill(x, y-1);
}
```




Scan Line Fill

- Can also fill by maintaining a data structure of all intersections of polygons with scan lines
 - Sort by scan line
 - Fill each span




vertex order generated by vertex list



desired order




Data Structure





Aliasing

Ideal rasterized line should be 1 pixel wide




 Choosing best y for each x (or visa versa) produces aliased raster lines



Antialiasing by Area Averaging

 Color multiple pixels for each x depending on coverage by ideal line






Polygon Aliasing

Aliasing problems can be serious for polygons

- Jaggedness of edges
- Small polygons neglected
- Need compositing so color of one polygon does not totally determine color of pixel



All three polygons should contribute to color



Introduction to Computer Graphics with WebGL

Ed Angel
Professor Emeritus of Computer Science
Founding Director, Arts, Research,
Technology and Science Laboratory
University of New Mexico



Display Issues

Ed Angel Professor Emeritus of Computer Science University of New Mexico



Objectives

- Consider perceptual issues related to displays
- Introduce chromaticity space
 - Color systems
 - Color transformations
- Standard Color Systems



No Display Can Be Perfect

- An analog display device such as a CRT takes digital input (pixels) and outputs a small spot of color
- A Digital display such as a LCD display outputs discrete spots
- The eye merges (filters) these spots
- Sampling theory shows this process cannot be done perfectly



Perception Review

- Light is the part of the electromagnetic spectrum between ~350-750 nm
- A color $C(\lambda)$ is a distribution of energies within this range
- The human visual system has three types of cones on the retina, each with its own spectral sensitivity
- Consequently, only three values, the tristimulus values, are "seen" by the brain




Tristimulus Values

- The human visual center has three cones with sensitivity curves $S_1(\lambda)$, $S_2(\lambda)$, and $S_3(\lambda)$
- For a color $C(\lambda)$, the cones output the tristimulus values

$$T_{1} = \int S_{1}(\lambda)C(\lambda)d\lambda$$

$$T_{2} = \int S_{2}(\lambda)C(\lambda)d\lambda$$

$$T_{3} = \int S_{3}(\lambda)C(\lambda)d\lambda$$





Three Color Theory

- Any two colors with the same tristimulus values are perceived to be identical
- Thus a display (CRT, LCD, film) must only produce the correct tristimulus values to match a color
- Is this possible? Not always
 - Different primaries (different sensitivity curves) in different systems




The Problem

- The sensitivity curves of the human are not the same as those of physical devices
- Human: curves centered in blue, green, and green-yellow
- CRT: RGB
- Print media: CMY or CMYK
- Which colors can we match and, if we cannot match, how close can we come?



Representing Colors


- Consider a color C(λ)
- It generates tristimulus values T₁, T₂, T₃
 - Write $C = (T_1, T_2, T_3)$
 - Conventionally,we assume $1 \ge T_1, T_2, T_3 \ge 0$ because there is a maximum brightness we can produce and energy is nonnegative
 - C is a point in color solid





Producing Colors

 Consider a device such as a CRT with RGB primaries and sensitivity curves



Tristimulus values

$$T_1 = \int R(\lambda)C(\lambda)d\lambda$$

$$T_2 = \int G(\lambda)C(\lambda)d\lambda$$
$$T_3 = \int B(\lambda)C(\lambda)d\lambda$$



Matching

- This T₁, T₂, T₃ is dependent on the particular device
- If we use another device, we will get different values and these values will not match those of the human cone curves
- Need a way of matching and a way of normalizing



Color Systems

- Various color systems are used
 - Based on real primaries:
 - NTSC RGB
 - UVW
 - CMYK
 - HLS
 - Theoretical
 - XYZ
- Prefer to separate brightness (luminance) from color (chromatic) information
 - Reduce to two dimensions



Tristimulus Coordinates

For any set of primaries, define

$$t_{1} = \frac{T_{1}}{T_{1} + T_{2} + T_{3}}$$

$$t_{2} = \frac{T_{2}}{T_{1} + T_{2} + T_{3}}$$


$$t_{3} = \frac{T_{3}}{T_{1} + T_{2} + T_{3}}$$

Note


$$\mathbf{t}_1 + \mathbf{t}_2 + \mathbf{t}_3 = 1$$
 $1 \ge \mathbf{t}_1, \mathbf{t}_2, \mathbf{t}_3 \ge 0$



Maxwell Triangle




Project onto 2D: chromaticity space





NTSC RGB






Producing Other Colors

- However colors producible on one system (its color gamut) is not necessarily producible on any other
- Not that if we produce all the pure spectral colors in the 350-750 nm range, we can produce all others by adding spectral colors
- With real systems (CRT, film), we cannot produce the pure spectral colors
- We can project the color solid of each system into chromaticity space (of some system) to see how close we can get




Color Gamuts







- Reference system in which all visible pure spectral colors can be produced
- Theoretical systems as there are no corresponding physical primaries
- Standard reference system






Color Systems

- Most correspond to real primaries
 - National Television Systems Committee (NTSC) RGB matches phosphors in CRTs
- Film both additive (RGB) and subtractive (CMY) for positive and negative film
- Print industry CMYK (K = black)
 - K used to produce sharp crisp blacks
 - Example: ink jet printers



Color Transformations

 Each additive color system is a linear transformation of another





RGB, CMY, CMYK

Assuming 1 is max of a primary

$$C = 1 - R$$

$$M = 1 - G$$

$$Y = 1 - B$$

Convert CMY to CMYK by

$$K = min(C, M, Y)$$

$$C' = C - K$$

$$M' = M - K$$

$$Y' = Y - K$$



Color Matrix

 Exists a 3 x 3 matrix to convert from representation in one system to representation in another

- $\begin{bmatrix} \mathbf{T'}_1 \\ \mathbf{T'}_2 \\ \mathbf{T'}_3 \end{bmatrix} = \mathbf{M} \begin{bmatrix} \mathbf{T}_1 \\ \mathbf{T}_2 \\ \mathbf{T}_3 \end{bmatrix}$
- Example: XYZ to NTSC RGB
 - find in colorimetry references
- Can take a color in XYZ and find out if it is producible by transforming and then checking if resulting tristimulus values lie in (0,1)





- NTSC Transmission Colors
- Here Y is the luminance
 - Arose from need to separate brightness from chromatic information in TV broadcasting


$$\begin{bmatrix} Y \\ I \\ Q \end{bmatrix} = \begin{bmatrix} 0.299 & 0.587 & 0.114 \\ 0.596 & -0.275 & -0.321 \\ 0.212 & -0.523 & 0.311 \end{bmatrix} \begin{bmatrix} R \\ B \\ \end{bmatrix}$$

Note luminance shows high green sensitivity



Other Color Systems

- UVW: equal numerical errors are closer to equal perceptual errors
- HLS: perceptual color (hue, saturation, lightness)
 - Polar representation of color space
 - Single and double cone versions





Gamma

- Intensity vs CRT voltage is nonlinear $I = cV^{\gamma}$
- Can use a lookup table to correct
- Human brightness response is logarithmic
 - Equal steps in gray levels are not perceived equally
 - Can use lookup table
- CRTs cannot produce a full black
 - Limits contrast ratio



sRGB

- Standard for Internet
- Adjust colors to match standard gamma of panels
 - match gamma over most of the range
 - enhance less bright colors
- OpenGL (soon WebGL?) can input sRGB and convert to RGB for processing and then back to sRGB