

# ECE 364 Prelab Assignment 04

## Python Collections

Due: September 16, 2018

Passing this lab will satisfy course objectives CO2, CO3, CO7

### Instructions

- Work in your Prelab04 directory.
- Copy all files from `~ee364/labfiles/Prelab04` into your Prelab04 directory. You may use the following command:  
`cp -r ~ee364/labfiles/Prelab04/* ./`
- Remember to add and commit all files to SVN. **We will grade the version of the file that is in SVN!**
- To submit, commit your files to SVN. We will only grade the version of the file that is in SVN.
- You must meet all *base requirements* in the syllabus to receive any credit.
- Follow all rules in the **Code Quality Standards**.
- Name and spell the file, and the functions, exactly as instructed. Your scripts will be graded by an automated process. **You will lose some points, per our discretion, for any function that does not match the expected name.**
- Make sure your output from all functions match the given examples. **You will not receive points for a question whose output mismatches the expected result.**
- Unless otherwise specified, you may not use any external library. You may use any module in the **Python Standard Library** to solve this lab.
- Make sure you are using Python 3.4 for your project. In PyCharm, go to:

File Menu → Settings → Project Interpreter

And make sure that Python 3.4 (`/usr/local/bin/python3.4`) is selected.

# Python Collections

## Description

Students in some university are collaborating on several projects, where in each projects they are building multiple circuits using four component types: Resistors, Inductors, Capacitors and Transistors. You are given a file called `students.txt` containing student names and IDs. You are also given a file called `projects.txt` containing project IDs and the circuits IDs that belong to each project. Finally, you are given a folder called `Circuits` containing multiple files, where each file holds information about a specific circuit.

The format of each file name in the folder is `circuit_<circuit_id>.txt` and it contains two types of information:

- The students IDs that have collaborated in building that circuit, separated by commas.
- The components used in that circuit, where each component string must start with a symbol. The symbols used are: R, L, C and T for Resistors, Inductors, Capacitors and Transistors, respectively. The components are separated by commas as well.

While the format of each circuit file is consistent, the number of students participating in building each circuit varies, and so does the number of components used in that circuit. Moreover, some circuits may not have uses all component types, i.e. they may have not used transistors, or inductors, etc. Examine all of the files before you begin, to make sure you are comfortable with their format.

## Requirements

Create a Python file named `project_analytics.py`, and do all of your work in that file. This file should only consists of function blocks, and, optionally, a conditional main block, (i.e. `if __name__ == "__main__":`). Do not include any loose Python statements, but you can, however, write any number of additional utility/helper functions that you might need.

1. [10 pts] Write a function called `get_component_count_by_project(project_id)` that takes in a project ID, and returns a tuple of the form `(int, int, int, int)` where the tuple elements are the numbers of distinct components used in all circuits within that project, ordered as: resistors, inductors, capacitors and transistors. If the project ID provided does not exists, return `None`.
2. [5 pts] Write a function called `get_component_count_by_student(student_name)` that takes in the full student name, in the same format used in the file, and returns a tuple of the form `(int, int, int, int)` where the tuple elements are the numbers of distinct components used in all circuits where that student has participated, ordered as: resistors, inductors, capacitors and transistors. If the student has not participated in any projects, return an empty tuple. If the student name passed does not exist, return `None`.
3. [10 pts] Write a function called `get_participation_by_student(student_name)` that takes in the full student name, in the same format used in the file, and returns a `set` of the project IDs that the student has participated in. If the student has not participated in any projects, return an empty `set`. If the student name passed does not exist, return `None`.
4. [5 pts] Write a function called `get_participation_by_project(project_id)` that takes in a project ID, and returns a `set` of all the full names of the students who have participated in this project. If the project ID provided does not exists, return `None`.
5. [10 pts] Write a function called `get_project_by_component(components)` that takes in a `set` of component strings, and returns a `{string: set of string}` dictionary, where the key is the component from the input set, and the value is the `set` of the project IDs where that component has been used.

6. [5 pts] Write a function called `get_student_by_component(components)` that takes in a set of component strings, and returns a `{string: set of string}` dictionary, where the key is the component from the input set, and the value is the set of all the student names who have used that component.
7. [10 pts] Write a function called `get_component_by_student(student_names)` that takes in a set of student full names, and returns a `{string: set of string}` dictionary, where the key is the student name from the set given, and the value is the set of all components used by that student in all projects.
8. [5 pts] Write a function called `get_common_by_project(project_id1, project_id2)` that returns a sorted list of all the distinct components that have been used in both of the projects passed. If there were no common components used between these projects, return an empty list, and if either of the project IDs passed does not exist, return `None`.
9. [5 pts] Write a function called `get_common_by_student(student_name1, student_name2)` that returns a sorted list of all the distinct components that have been used by both of the students whose full names are passed. If there were no common components found, or if one of the students did not work on any project, return an empty list, and if either of the names passed does not exist, return `None`.
10. [5 pts] Write a function called `get_project_by_circuit()` that returns a `{string: list of string}` dictionary, where the key is the circuit ID, and the value is a sorted list of all distinct project IDs, where that circuit is part of.
11. [5 pts] Write a function called `get_circuit_by_student()` that returns a `{string: list of string}` dictionary, where the key is the full student name, and the value is a sorted list of all distinct circuits IDs that the student has worked on. If a student did not work on any project, use an empty list for the value.
12. [5 pts] Write a function called `get_circuit_by_student_partial(student_name)` that takes in a student's first or last name, and returns a `{string: list of string}` dictionary, where the key is a full student name whose first or last name matched the input, and the value is a sorted list of all distinct circuits IDs that the student has worked on. If the student name passed did not work on any project, use an empty list for the value. If the student name passed does not exist as a first or a last name among all students, return `None`.